NORTH FLORIDA SURGERY CENTER CATARACT SURGERY DISCHARGE INSTRUCTIONS

ACTIVITY & RESTRICTIONS	 Rest, resume normal, non-strenuous activities after surgery. Avoid bending at the waist to pick up objects or lifting anything heavy for 2 days. No driving or operating machinery until released at your post-op visit. You may shower, shave, and wash your hair, but avoid getting water in the eye for the first week. You may read, watch TV, or use a computer as desired. It is ok to sleep on the side of the operative eye. 		
REGULAR MEDICATIONS	 Continue regular medications You may take Tylenol as directed for pain or any medication you would normally take for minor pain. 		
POST-OP EYE DROPS	 Put drops in the eye once an hour while awake. Lift the shield from the bottom. Place 1 drop in the eye. Wait 5 minutes, and then put 1 drop in the eye from the other bottle. It does not matter which eye drop you use first, but wait 5 minutes between each drop. 		
DIET	You may resume the same diet as before surgery.		
HOW TO CARE FOR MY EYE	 Wash your hands before using the drops. Do not remove the shield. When putting drops in your eye, lift the shield from the bottom and replace the shield when done. It is normal to experience a sandy, gritty feeling in the eye after surgery. This is temporary. Do not rub your eye. Keep your hands away from the operative eye. Wear sunglasses to protect your eyes from the sunlight and prevent eye discomfort. Call Dr. Bodendorfer/Dr. Singleton at (386) 755-2785 if any of the following occurs: 		
WHEN TO CALL	 Increased pain Decreased vision Increased redness Increased discharge or bleeding from the eye Return to Columbia Eye Clinic on:		
POST-OP APPOINTMENT	j		ampm. office.
Patient/Parent or Guard Discharge Nurse/Physi		rson Escorting Patient	Date

REV: 7/24, 09/24 NFSC 15